



# LED G9

## Accent Lights

### Product Specifications



TCP's LED G9 Accent Lights are the perfect energy-saving alternative to incandescent G9 base lamps.

### Reasons to choose the LED G9 Accent Lights from TCP

- Instant energy savings over traditional incandescent lamps
- 25,000 hour rated life minimizes replacement and maintenance costs
- G9 and E12 bases available
- Dimmable
- Rated for enclosed fixtures

### Ideal Applications

- Accent Lighting
- Desk Lamps
- Pendant Lights
- Under Cabinet Lighting
- Bath Fixtures
- Ceiling Fixtures
- Chandeliers
- Outdoor

### Specifications

Voltage ..... 120v  
Input Line Frequency..... 50/60HZ  
Lamp Life (Rated) ..... 25,000 hours  
Minimum Starting Temp ..... -4°F  
Maximum Operating Temp..... 104°F

CRI .....  $\geq 90$   
Beam Angle ..... 300°  
Base ..... E12, G9  
Warranty ..... 5 Years

## Specifications



2.5W  
L5G9



3W  
L3G9



4W  
L4G9



5W  
L5G9



3W  
L3E12

| ITEM #                                                | DESCRIPTION               | WATTS | INCAND<br>EQUIV | LUMENS | COLOR | CRI | VOLTAGE | MOL<br>(inches) | DIA<br>(inches) | WARRANTY<br>YEARS | BEAM<br>ANGLE | FINISH | BASE | CASE<br>QTY |
|-------------------------------------------------------|---------------------------|-------|-----------------|--------|-------|-----|---------|-----------------|-----------------|-------------------|---------------|--------|------|-------------|
| <b>2.5W G9 Accent Light – Dimmable • 25,000 Hours</b> |                           |       |                 |        |       |     |         |                 |                 |                   |               |        |      |             |
| L2G9D2527K                                            | LED 2.5W G9 DIM 27K       | 2.5   | 15              | 200    | 2700K | 90  | 120     | 1.8             | 0.69            | 5                 | 300           | CLEAR  | G9   | 20          |
| L2G9D2527KF                                           | LED 2.5W G9 DIM 27K FROST | 2.5   | 15              | 200    | 2700K | 90  | 120     | 1.8             | 0.69            | 5                 | 300           | FROST  | G9   | 20          |
| L2G9D2530K                                            | LED 2.5W G9 DIM 30K       | 2.5   | 15              | 200    | 3000K | 90  | 120     | 1.8             | 0.69            | 5                 | 300           | CLEAR  | G9   | 20          |
| L2G9D2530KF                                           | LED 2.5W G9 DIM 30K FROST | 2.5   | 15              | 200    | 3000K | 90  | 120     | 1.8             | 0.69            | 5                 | 300           | FROST  | G9   | 20          |
| <b>3W G9 Accent Light – Dimmable • 25,000 Hours</b>   |                           |       |                 |        |       |     |         |                 |                 |                   |               |        |      |             |
| L3G9D2527K                                            | LED 3W G9 DIM 27K         | 3     | 25              | 240    | 2700K | 90  | 120     | 1.8             | 0.69            | 5                 | 300           | CLEAR  | G9   | 20          |
| L3G9D2527KF                                           | LED 3W G9 DIM 27K FROST   | 3     | 25              | 240    | 2700K | 90  | 120     | 1.8             | 0.69            | 5                 | 300           | FROST  | G9   | 20          |
| L3G9D2530K                                            | LED 3W G9 DIM 30K         | 3     | 25              | 240    | 3000K | 90  | 120     | 1.8             | 0.69            | 5                 | 300           | CLEAR  | G9   | 20          |
| L3G9D2530KF                                           | LED 3W G9 DIM 30K FROST   | 3     | 25              | 240    | 3000K | 90  | 120     | 1.8             | 0.69            | 5                 | 300           | FROST  | G9   | 20          |
| <b>4W G9 Accent Light – Dimmable • 25,000 Hours</b>   |                           |       |                 |        |       |     |         |                 |                 |                   |               |        |      |             |
| L4G9D2527K                                            | LED 4W G9 DIM 27K         | 4     | 30              | 360    | 2700K | 90  | 120     | 2.3             | 0.71            | 5                 | 300           | CLEAR  | G9   | 20          |
| L4G9D2527KF                                           | LED 4W G9 DIM 27K FROST   | 4     | 30              | 360    | 2700K | 90  | 120     | 2.3             | 0.71            | 5                 | 300           | FROST  | G9   | 20          |
| L4G9D2530K                                            | LED 4W G9 DIM 30K         | 4     | 30              | 360    | 3000K | 90  | 120     | 2.3             | 0.71            | 5                 | 300           | CLEAR  | G9   | 20          |
| L4G9D2530KF                                           | LED 4W G9 DIM 30K FROST   | 4     | 30              | 360    | 3000K | 90  | 120     | 2.3             | 0.71            | 5                 | 300           | FROST  | G9   | 20          |
| <b>5W G9 Accent Light – Dimmable • 25,000 Hours</b>   |                           |       |                 |        |       |     |         |                 |                 |                   |               |        |      |             |
| L5G9D2527K                                            | LED 5W G9 DIM 27K         | 5     | 35              | 400    | 2700K | 90  | 120     | 2.3             | 0.87            | 5                 | 300           | CLEAR  | G9   | 20          |
| L5G9D2527KF                                           | LED 5W G9 DIM 27K FROST   | 5     | 35              | 400    | 2700K | 90  | 120     | 2.3             | 0.87            | 5                 | 300           | FROST  | G9   | 20          |
| L5G9D2530K                                            | LED 5W G9 DIM 30K         | 5     | 35              | 400    | 3000K | 90  | 120     | 2.3             | 0.87            | 5                 | 300           | CLEAR  | G9   | 20          |
| L5G9D2530KF                                           | LED 5W G9 DIM 30K FROST   | 5     | 35              | 400    | 3000K | 90  | 120     | 2.3             | 0.87            | 5                 | 300           | FROST  | G9   | 20          |
| <b>3W E12 Accent Light – Dimmable • 25,000 Hours</b>  |                           |       |                 |        |       |     |         |                 |                 |                   |               |        |      |             |
| L3E12D2527KF                                          | LED T4 3W E12 DIM 27K FR  | 3     | 25              | 270    | 2700K | 90  | 120     | 1.8             | 0.69            | 5                 | 300           | FROST  | E12  | 20          |

# TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 30 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit [tcpi.com](http://tcpi.com)

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516