



Item #	Description	Rated Hours	initial lumens	mean lumens	Mercury mg	Picograms
TCP Pro T3 Full SpringLamps®						
48905	5W SPRINGLAMP PRO	12000	300	240	1.3	444
48909	9W SPRINGLAMP PRO	12000	600	480	1.3	222
48913	13W SPRINGLAMP PRO	12000	925	740	1.3	144
48918	18W SPRINGLAMP PRO	12000	1300	1040	1.3	103
48923	23W SPRINGLAMP PRO	12000	1650	1320	1.3	81
48927	27W SPRINGLAMP PRO	12000	1850	1480	2.6	146
48932	32W SPRINGLAMP PRO	12000	2150	1720	2.6	126
48942	42W SPRINGLAMP PRO	12000	2850	2280	2.6	95
TCP Pro T2						
4T209	9W SPRINGLAMP T2	12000	550	440	1.5	277
4T213	13W SPRINGLAMP T2	12000	825	660	1.5	184
4T218	18W SPRINGLAMP T2	12000	1200	960	1.5	127
4T223	23W SPRINGLAMP T2	12000	1600	1280	1.5	95
TCP Pro Dimmable						
40114	14W DIMMABLE SPRING	10000	850	680	1.3	
40123	23W DIMMABLE SPRING	10000	1500	1200	1.3	594
2R2014DIM	14W DIMMABLE R20	8000	410	328	2.0	594
2R3016DIM	16W DIMMABLE R30	8000	750	600	1.5	1159
2R4019DIM	19W DIMMABLE R40	8000	900	720	2.0	731
2G2514DIM	14W DIMMABLE G25	8000	750	600	2.0	
TruDim™						
4R3016TD	16W R30 TRU DIM	12000	650	520	2.2	353
4R2014TD	14W R20 TRU DIM	12000	410	328	2.2	559
41316TD	16W A-LAMP TRU DIM	12000	850	680	2.2	270
41315TD	15W A-LAMP TRU DIM	12000	750	600	2.2	306
4G2515TD	15W G25 TRU DIM	12000	750	600	2.2	306
50123	23W SPRINGLAMP TRU DIM	12000	1500	1200	1.3	89
TruStart™						
58023	23W SPRINGLAMP TRU START	12000	1600	1280	1.3	83
TCP Pro Instabright G2						
41314	14W A-LAMP INSTABRIGHT G2	8000	800	640	3.0	594
4G2514	14W G25 INSTABRIGHT G2	8000	800	640	3.0	594
4R2014	14W R20 INSTABRIGHT G2	8000	410	328	3.0	1159
4R3014	14W R30 INSTABRIGHT G2	8000	650	520	3.0	731
Mini SpringLamps, Electronic						
28902	2W SPRINGLAMP	8000	125	100	2.1	2625
28904	4W SPRINGLAMP	8000	250	200	2.1	1313
28909	9W SPRINGLAMP	12000	550	440	2.1	398
28913	13W SPRINGLAMP	12000	900	720	2.1	243
28918	18W SPRINGLAMP	12000	1200	960	2.1	182
28923	23W SPRINGLAMP	12000	1600	1280	2.1	137
28927M	27W MINI SPRING	12000	1850	1480	2.6	148
SpringLamps, Electronic						
28930M	30W SPRINGLAMP	10000	2100	1680	2.6	156
28942M	42W SPRINGLAMP	10000	2650	2120	2.6	124
28932	32W SPRINGLAMP	10000	2200	1760	2.6	149
28942	42W SPRINGLAMP	10000	2800	2240	2.6	117
28968	68W SPRINGLAMP	10000	4200	3360	7.6	226



Item #	Description	Rated Hours	initial lumens	mean lumens	Mercury mg	Picograms
277V SpringLamps®						
28927277	27W SPRING 277 VOLT	10000	1850	1480	2.6	177
28932277	32W SPRING 277 VOLT	10000	2200	1760	2.6	149
28942277	42W SPRING 277 VOLT	10000	2800	2240	2.6	117
28968277	68W SPRINGLAMP 277V	10000	4200	3360	7.6	226
3-WAY SpringLamps®						
19027	27W 3-WAY SPRINGLAMP	10000				
19032	32W 3-WAY SPRINGLAMP	10000	2150	1720	2.6	153
19030LED	30W 3-WAY W/LED NIGHT LIGHT SPRINGLAMP	10000	1850	1480	2.6	177
SpringLamps®, HPF						
18209	9W SPRINGLAMP HPF	10000	500	400	1.3	320
18214	14W SPRINGLAMP HPF	10000	800	640	1.3	200
18220	20W SPRINGLAMP HPF	10000	1100	880	1.3	145
18223	23W SPRINGLAMP HPF	10000	1400	1120	1.3	114
18227	27W MINI SPRING HPF	10000	1600	1280	2.6	203
SpringLamps®, 15,000 Hour						
28009	9W 15,000 HR SPRING	15000	550	440	1.3	194
28013	13W 15,000 HR SPRING	15000	900	720	1.3	119
28018	18W 15,000 HR SPRING	15000	1200	960	1.3	89
28023	23W 15,000 HR SPRING	15000	1600	1280	1.3	67
28027M	27W 15,000 HR MINI SPRING	15000	1850	1480	2.6	117
Reflector Lamps						
1R2004	4W R20 FLOODLIGHT SPRING	8000	180	144	1.4	1211
1R2009	9W R20 FLOODLIGHT SPRING	8000	400	320	1.2	453
1R2014	14W R20 FLOODLIGHT SPRING	8000	500	400	1.5	453
2R3014	14W R30 FLOODLIGHT	8000	650	520	1.5	349
2R3016	16W R30 FLOODLIGHT	8000	750	600	1.5	302
1P3016	16W P30 FLOODLIGHT	8000	750	600	1.5	302
1R4016	16W R40 FLOODLIGHT	8000	750	600	1.5	302
1P3816	16W P38 FLOODLIGHT	8000	750	600	1.5	302
1R4019	19W R40 FLOODLIGHT	8000	950	760	1.5	238
2P3819	19W P38 FLOODLIGHT	8000	950	760	1.5	238
1R4023	23W R40 FLOODLIGHT	8000	1200	960	1.5	189
1P3823	23W P38 FLOODLIGHT	8000	1200	960	1.5	189
2R3014IB	14W R30 FLOODLIGHT INSTABRIGHT	6000	600	480	1.9	665
1R4014IB	14W R40 FLOODLIGHT INSTABRIGHT	6000	600	480	1.9	665
PF2014	14W FLAT PAR20	8000	350	280	1.5	647
PF2414	14W FLAT PAR24	8000	440	352	1.5	515
PF3016	30W FLAT PAR30	8000	700	560	1.5	324
PF3823	23W FLAT PAR38	8000	1000	800	1.5	227
Deco A-Lamp						
11304	4W A-LAMP	8000	225	180	1.1	781
11309	9W A-LAMP	8000	450	360	1.2	403
21314	14W A-LAMP	8000	800	640	1.5	283
11316	16W A-LAMP	8000	900	720	1.5	252
11319	19W A-LAMP	8000	1000	800	1.5	227
11323	23W A-LAMP	8000	1200	960	1.5	189
21314IB	14W A LAMP INSTABRIGHT	6000	600	480	1.9	665
Deco Torpedo Lamp						
10702	2W TORPEDO	8000	80	64	1.7	3242
10704	4W TORPEDO LAMP	8000	195	156	1.1	901
10709	9W TORPEDO LAMP	8000	425	340	1.2	426
10714	14W TORPEDO LAMP	8000	720	576	1.5	315

Item #	Description	Rated Hours	initial lumens	mean lumens	Mercury mg	Picograms
Deco Globe Lamp						
1G1002	2W G10 GLOBE	8000	80	64	1.7	3242
1G2002	2W G20 GLOBE LAMP	8000	170	136	1.7	1526
1G2004	4W G20 GLOBE LAMP	8000	210	168	1.7	1235
1G2502	2W G25 GLOBE	8000	170	136	1.7	1526
1G2504	4W G25 GLOBE	8000	250	200	1.7	1038
1G2509	9W G25 GLOBE	8000	520	416	1.2	349
2G2514	14W G25 GLOBE	8000	800	640	1.5	283
1G3009	9W G30 GLOBE	8000	495	396	1.4	440
1G3014	14W G30 GLOBE	8000	800	640	1.5	283
1G3019	19W G30 GLOBE	8000	1100	880	1.5	206
1G3023	23W G30 GLOBE	8000	1200	960	1.5	189
1G4014	14W G40 GLOBE	8000	800	640	1.5	283
1G4019	19W G40 GLOBE	8000	1100	880	1.5	206
1G4023	23W G40 GLOBE	8000	1300	1040	1.5	174
1G2511B	11W G25 GLOBE INSTABRIGHT 6,000 HOUR	6000	400	320	1.9	998
1G3014B	14W G30 GLOBE INSTABRIGHT 6,000 HOUR	6000	600	480	1.9	665
T-Capsule Lamp						
1T2409	9W T24 CAPSULE	8000	520	416	1.5	436
1T2414	14W T24 CAPSULE	8000	900	720	1.5	252
1T2419	19W T24 CAPSULE	8000	1100	880	1.5	206
1T2423	23W T24 CAPSULE	8000	1200	960	1.5	189
1T2004	4W T20 CAPSULE	8000	250	200	1.7	1038
1T2009	9W T20 CAPSULE	8000	520	416	1.4	419
1T2014	14W T20 CAPSULE	8000	800	640	1.5	283
GU24 PL Lamps						
33109Q	9W Quad PL Lamp GU24 Base	8000	500	400	4.0	1250
33113Q	13W Quad PL Lamp GU24 Base	8000	750	600	4.0	833
33118Q	18W Quad PL Lamp GU24 Base	8000	1150	920	4.0	543
33126Q	26W Quad PL Lamp GU24 Base	8000	1700	1360	4.0	368
GU24 SpringLamps®						
33109SP	9W SPRINGLAMP GU24 BASE	10000	550	440	1.3	291
33113SP	13W SPRINGLAMP GU24 BASE	10000	900	720	1.3	178
33118SP	18W SPRINGLAMP GU24 BASE	10000	1200	960	1.3	133
33123SP	23W SPRINGLAMP GU24 BASE	10000	1600	1280	1.3	100
33127SP	27W SPRINGLAMP GU24 BASE	10000	1850	1480	2.6	177
33132SP	32W SPRINGLAMP GU24 BASE	10000	2200	1760	2.6	149
33142SP	42W SPRINGLAMP GU24 BASE	10000	2800	2240	2.6	117
33213SSP	13W SPRINGLAMP SQUAT GU24 BASE	10000	900	720	1.3	178
GU24 Covered Lamps						
33109A19	9w A-Lamp GU24 Base	8000	450	360	1.4	484
33114A19	14w A-lamp GU24 Base	8000	800	640	1.5	283
33119A19	19w A-lamp GU24 Base	8000	900	720	1.5	252
33109G25	9w G25 Globe GU24 Base	8000	450	360	1.4	484
33114G25	14w G25 Globe GU24 Base	8000	800	640	1.5	283
33114G30	14w G30 Globe GU24 Base	8000	800	640	1.5	283
33119G30	19w G30 Globe GU24 Base	8000	950	760	1.5	238
33114G40	14w G40 Globe GU24 Base	8000	800	640	1.5	283
33119G40	19w G40 Globe GU24 Base	8000	950	760	1.5	238
GU24 Reflectors (continued on next page)						
33109R20	9w R20 GU24 Base	8000	300	240	1.4	727
33114R20	14w R20 Floodlight GU24 Base	8000	500	400	1.6	492
33116R30	16w R30 Floodlight GU24 Base	8000	750	600	1.5	302
33116R40	16w R40 Floodlight GU24 Base	8000	750	600	1.5	302
33123R40	23w R40 Floodlight GU24 Base	8000	1200	960	1.5	189
33116P30	16w PAR30 Floodlight GU24 Base	8000	750	600	1.5	302
33123P38	23w PAR38 Floodlight GU24 Base	8000	1200	960	1.5	189

33114PF20	14W Flat PAR20 Floodlight GU24 Base	8000	350	280	1.5	647
33116PF30	16W Flat PAR30 Floodlight GU24 Base	8000	750	600	1.5	302
33123PF38	23W Flat PAR38 Floodlight GU24 Base	8000	1000	800	1.5	227

PL Lamps

32005	5W TWIN TUBE PL LAMP 2 PIN 27K	10000	250	200	4.0	2000
32007	7W TWIN TUBE PL LAMP 2PIN 27K	10000	400	320	4.0	1250
32009	9W TWIN TUBE PL LAMP 27K	10000	550	440	4.0	909
32013	13W TWIN TUBE PL LMP 2-PIN 27K	10000	800	640	4.0	625
320131ST	13W TWIN TUBE INSTNT START 27K	10000	800	640	4.0	625
32009Q	9W QUAD PL LAMP 2-PIN 9DIT 27K	10000	550	440	4.0	909
32013Q	13W QUAD PL LAMP 2-PIN 13DTT	10000	800	640	4.0	625
320131SQ	13W INSTANT START QUAD LAMP	10000	800	640	4.0	625
324132GX7	13W 4 PIN PL 2GX7 BASE	10000	800	640	4.0	625
32018Q	18W QUAD PL LMP-2700K	10000	1100	880	4.0	455
32022Q	22W 2PIN QUAD PL WITH GX32D-2	10000	1350	1080	4.0	370
32026Q	26W QUAD PL LMP-27K	10000	1600	1280	4.0	313
32028Q	28W 2PIN QUAD PL WITH GX32D-3	10000	1700	1360	4.0	294
32413Q	13W QUAD LAMP PL 4-PIN	10000	800	640	4.0	625
32418Q	18W QUAD LAMP PL 4-PIN	10000	1100	880	4.0	455
32426Q	26W QUAD LAMP PL 4-PIN	10000	1600	1280	4.0	313
32413T	13W TRIPLE LAMP PL 4-PIN 27K	10000	900	720	4.0	556
32418T	18W TRIPLE LAMP PL 4-PIN 27K	10000	1150	920	4.0	435
32426T	26W TRIPLE LAMP PL 4-PIN 27K	10000	1650	1320	4.0	303
32432T	32W TRIPLE LAMP PL 4-PIN 27K	10000	2000	1600	4.0	250
32442T	42W TRIPLE LAMP PL 4-PIN 27K	10000	2400	1920	4.0	208

SpringLight SpringLamps®

801009	9 watt Springlamp	10000	540	432	1.3	296
801014	14 watt Springlamp	10000	900	720	1.3	178
801019	19 watt Springlamp	10000	1200	960	1.3	133
801023	23 watt Springlamp	10000	1600	1280	1.3	100
801027	27 watt Springlamp	10000	1850	1480	2.6	177
802014	14 watt R20 Flood	8000	495	396	1.5	458
803014	14 watt R30 Flood	8000	645	516	1.5	351
805023	23 watt P38 Flood	8000	1200	960	1.5	189
804023	23 watt R40 Flood	8000	1200	960	1.5	189
806009	9 watt G25 Globe	8000	495	396	1.2	366
806014	14 watt G25 Globe	8000	800	640	1.5	283
807009	9 watt A-Lamp	8000	450	360	1.2	403
807014	14 watt A-Lamp	8000	800	640	1.6	308

Cold Cathode

8A, 8T, 8TF, 8G	3 watt Cold Cathode (A-lamp, Globe, Deco Torpedo)	25000	120	84	2.5	1190
8A, 8T, 8TF, 8G	5 watt Cold Cathode (A-lamp, Globe, Deco Torpedo)	25000	200	140	2.5	714
8A, 8T, 8TF, 8G	8 watt Cold Cathode (A-lamp, Globe, Deco Torpedo)	25000	300	210	3.0	571
8R2003	3 watt Cold Cathode R20	25000	100	70	2.5	1429
8R2005	5 watt Cold Cathode R20	25000	140	98	2.5	1020
8R2008	8 watt Cold Cathode R20	25000	260	182	3.0	659
8R3008	8 watt Cold Cathode R30	25000	300	210	3.0	571
8PF3008	8 watt Cold Cathode PF30	25000	260	182	3.0	659
8PF3808	8 watt Cold Cathode PF38	25000	300	210	3.0	571

Circline

32020	20w Circline T9	10000	1200	960	4.3	448
32022	22w Circline T9	10000	1400	1120	12.5	1116
32030	30w Circline T9	10000	2000	1600	12.5	781
32018	18w Circline T6	10000	1200	960	4.3	448
32027	27w Circline T6	10000	2000	1600	4.3	269
32032	32w Circline T6	10000	2200	1760	4.3	244
32033	33w Circline T6	10000	2150	1720	8.5	494
32040	40w Circline T6	10000	2800	2240	8.5	379
32058	58w Circline T6	10000	3700	2960	8.5	287