



# LED Dimmable A-Lamps

15,000 Hour • Omni-Directional

High efficiency A-Lamps. Light output in all directions to suit many applications.

## Limitless options for the following applications:

- General Lighting
- Floor Lamps
- Ceiling Fixtures
- Table Lamps
- Sconces

## Great features and benefits:

- Energy efficient: up to 85% more efficient than incandescent alternatives
- Smooth, uniform dimming
- Long life: 15,000 hours
- Similar look and feel as incandescent alternative
- Excellent color consistency
- Available in 2700K, 3000K, 4000K and 5000K
- Fits any installations where a standard A-lamp is used



A19

A21

<b>LED</b>	<b>15,000 hours average rated life, 120 volts</b>
------------	---


### Applications:

Ideal for applications where uniform multi-directional light output is required.

- + Table Lamps
- + Floor Lamps
- + Sconces
- + Ceiling Fixtures
- + Decorative Fixtures



Features	Benefits
Up to 85% less energy than halogen alternatives	Instant energy savings
Long life	Minimizes replacement and maintenance costs
Very low heat generation	Perfect for sensitive display lighting such as art galleries
Excellent color consistency and CRI	Enhances colors of focal point while maintaining uniformity throughout lighting installation from lamp to lamp
UL approved for damp location	Can be used outdoors when protected from elements — withstands humidity indoors/outdoors
Shatter resistant	Lower the risk of injury and breakage
ANSI construction compliant	Fits all A-lamp installations
9W rated for totally enclosed fixtures	Can be used in totally enclosed luminaires



### Specifications

Input Line Voltage:	120 VAC
Input Power	See Chart
Input Line Frequency	50/60HZ
Lamp Life (Rated)	15,000 hrs
Minimum Starting Temp	-30°C
Maximum Operating Temp	40°C
CRI	80



A19 A-Lamp

A21 A-Lamp

Warranty	Item #	Description	Energy Star <sup>®</sup> RATED	Voltage	Wattage	Incandescent/Halogen Wattage Comparison	Lumens	LPW	CCT	CRI	M.O.L. (inches)	Diameter (inches)	Enclosed/Recessed Luminaire	
<b>3 YEAR WARRANTY</b>	<b>LED A19 Lamps</b>													
	L9A19D1527K	LED 9W A19 DIM 2700K	*	120	9	60	800	88.9	2700K	80	4.2	2.4	Y	
	L9A19D1530K	LED 9W A19 DIM 3000K	*	120	9	60	825	91.7	3000K	80	4.2	2.4	Y	
	L9A19D1541K	LED 9W A19 DIM 4000K	*	120	9	60	850	94.4	4000K	80	4.2	2.4	Y	
	L9A19D1550K	LED 9W A19 DIM 5000K	*	120	9	60	850	94.4	5000K	80	4.2	2.4	Y	
	<b>LED A21 Lamps</b>													
	LED15A21D27K	LED 15W A21 DIM 2700K	*	120	15	100	1600	106.7	2700K	80	5.2	2.7	N	
	LED15A21D30K	LED 15W A21 DIM 3000K	*	120	15	100	1625	108.3	3000K	80	5.2	2.7	N	
LED15A21D41K	LED 15W A21 DIM 4000K	*	120	15	100	1650	110.0	4000K	80	5.2	2.7	N		
LED15A21D50K	LED 15W A21 DIM 5000K	*	120	15	100	1650	110.0	5000K	80	5.2	2.7	N		




For the most up-to-date specs, please visit [www.tcp.com](http://www.tcp.com)

# LED Dimmer Compatibility

NO #	BRAND	FAMILY	MODEL #	LOAD TYPE	LOAD TYPE	RATED LOAD	CUT PHASE	OMNI	OMNI
								A19 60WE	A19 100WE
1	Leviton	Sureslide	06674-POB	LED and CFL/600-Watt Incandescent Dimmer	R/L/C	150W	Forward Phase	①	①
2	Leviton	Sureslide	06672-1LT	LED/CFL Incandescent Slide-To-Off Dimmer	R/L/C	150W	Forward Phase	③	①
3	Leviton	Sureslide	06631-1LT	Single-Pole Incandescent Slide Dimmer	R	600W	Forward Phase	①	①
4	Leviton	Sureslide	06633-PLI	Preset Incandescent Dimmer, Single Pole or 3-Way	R	600W	Forward Phase	①	①
5	Leviton	Vizia	VPI06-1LZ	120 VAC LED Locator Single-Pole and 3-Way IllumaTech Preset Slide Dimmer	C	600W	Forward Phase	①	①
6	Leviton	Decora Sureslide	IPL06	LED/CFL Universal Dimmer	R/L/C	150W	Forward Phase	①	①
7	Lutron	Diva	DVCL-153P	CFL/LED Dimmer	R/C	150W	Forward Phase	①	①
8	Lutron	Skylark	SCL-153PR	CFL/LED Dimmer	R/C	150W	Forward Phase	①	①
9	Lutron	Maestro	MACL-153M	CFL/LED Digital Dimmer	R/C	150W	Forward Phase	①	①
10	Lutron	Contour	TGCL-153PM	CFL/LED Dimmer	R/C	150W	Forward Phase	①	①
11	Lutron	Contour	DV-600P	Incandescent	R	600W	Forward Phase	①	①
12	Lutron	Diva	DVIV-600P	Incandescent	R	600W	Forward Phase	①	①
13	Lutron	Diva	DVELV-303P	Incandescent	R	300W	Forward Phase	③	①
14	Lutron	Contour	CTCL-153PDH-WH	CFL/LED	R/C	150W	Forward Phase	①	①
15	Lutron	Skylark	S-600P-WH	Incandescent	R	600W	Forward Phase	①	①
16	Cooper	ASPIRE	ASPIRE-9530	Incandescent	R	600W	Forward Phase	①	①
17	Cooper	ASPIRE	9573	LED/CFL/INC Full Slide Dimmer	R/L/C	300W	Forward Phase	①	①

- ① Professional, full range has perfect performance
- ② Good, has issue in some points but likely not an issue to typical consumer
- ③ Underperforming, flicker and buzzing

**LOAD TYPE**

- R type load:** GLS, HV Halogen 
- L type load:** LV Halogen with magnetic transformer 
- C type load:** LV Halogen with electronic transformer 

\*Information above is to be considered as guidance

Visit [www.tcp.com](http://www.tcp.com) for the most up-to-date dimmer compatibility.



# CREATING BEAUTY

TCP has a **20-year** history in energy-efficient lighting.

Thanks to our **cutting edge technology** and manufacturing

expertise, we have shipped billions of high quality lamps. Our

**integrated technology** and manufacturing provides

**expedited time-to-market.** With TCP, you can count on

unique lighting products designed to meet very specific needs—lighting that

transforms your surroundings and envelopes you in warmth—**lighting**

**that generates beauty** with every flip of the switch.

# LED

For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit [tcp.com](http://tcp.com)

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516