

Perfect for applications with hard to reach areas, vibration, and frequent starts.

Reasons to choose the LED Wet Location S14 from TCP

- Long Life: 25,000 hours—no more bulb replacements
- Non-dimmable
- UL approved for wet locations

- Excellent white color consistency from bulb to bulb
- Light output equivalent to 40W

Ideal Applications

- Chandeliers
- Ceiling Fans
- Decorative

- Indoor Fixtures
- Outdoor Fixtures
- Scoreboards

Movie Signs

Specifications

Voltage	120 VAC	Maximum Operating Temp	40°C
0	50 // 01 /	CRI	
1 /	25,000 hours	UL/cUL Listed	
, , ,	30°C	Power Factor	






LED Wet Location S14

Specifications







S14 Frosted LED5E26S1427K

ITEM #	DESCRIPTION	VOLTAGE	WATTAGE	WATTAGE EQUIVALENT	MOL (inches)	DIA (inches)	LUMENS	LPW	ССТ	CRI	ENCLOSED FIXTURE
LED5E26S1427K	LED 4W WET LOCATION \$14 - 2700K	120	4	40W	3.5	2	300	60	2700K	80	Υ
LED5E26S1430K	LED 4W WET LOCATION \$14 - 3000K	120	4	40W	3.5	2	300	60	3000K	80	Υ
LED5E26S1441K	LED 4W WET LOCATION \$14 - 4100K	120	4	40W	3.5	2	300	60	4100K	80	Υ
LED5E26S1427KF	LED 4W WET LOCATION S14 - 2700K Frosted	120	4	40W	3.5	2	300	60	2700K	80	Υ
LED5E26S1430KF	LED 4W WET LOCATION S14 - 3000K Frosted	120	4	40W	3.5	2	300	60	3000K	80	Υ
LED5E26S1441KF	LED 4W WET LOCATION \$14 - 4100K Frosted	120	4	40W	3.5	2	300	60	4100K	80	Υ



TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:	Catalog Number:
Date:	Туре:
Model:	Notes:
Project:	MTCD.
Rep:	TCP we know light.™