



# LED Classic Decorative Filament Lamps

## Product Specifications



TCP's filament style LED decorative lamps create a relaxing atmosphere with decorative touches that light up the room. Exclusive LED technology provides unmatched longevity and perfect 5-100% dimming.

### Reasons to choose the LED Classic Decorative Filament Lamps from TCP

- Smooth, uniform dimming from 5 – 100%
- Energy efficient — uses up to 85% less energy than halogen lamps
- UL approved for damp and enclosed locations means the lamps can be used outdoors when protected from the elements and withstand humidity indoors and outdoors
- Low heat generation minimizes replacement and maintenance costs
- Long life —15,000 hours rated life
- Unique filament LED configuration provides uniform color output
- ANSI construction compliant means lamps fit most general applications

### Ideal Applications

- Accent Lighting
- Chandeliers
- Wall Sconces
- Ceiling Fans
- Decorative Lighting

### Specifications

Color Temperatures .....	2200K, 2700K, 3000K, 4000K, 5000K	Minimum Starting Temp .....	-30°C
Input Line Voltage .....	120 VAC	Maximum Operating Temp .....	40°C
Input Line Frequency .....	50/60HZ	CRI .....	>80
Lamp Life (Rated) .....	15,000 hours	Base .....	E12/E26



## Specifications



ITEM #	DESCRIPTION	LED WATTS	INCAND. WATTS	LUMENS	CRI	COLOR TEMP	GLASS TYPE	MOL (inches)	DIA (inches)	BASE
<b>B11 Lamps</b>										
<b>25 Watt Replacements • Dimmable • E12 Base • 15,000 Hour</b>										
FB11D2522KE12C	B11 25W 2200K CLEAR E12	3.0	25	225	>80	2200K	Clear	3.8	1.4	E12
FB11D2522KE12G	B11 25W 2200K AMBER E12	3.0	25	225	>80	2200K	Amber	3.8	1.4	E12
FB11D2522KE12W	B11 25W 2200K FROSTED E12	3.0	25	225	>80	2200K	Frosted	3.8	1.4	E12
FB11D2527EE12C	B11 25W 2700K CLEAR E12	3.0	25	250	>80	2700K	Clear	3.8	1.4	E12
FB11D2527EE12W	B11 25W 2700K FROSTED E12	3.0	25	250	>80	2700K	Frosted	3.8	1.4	E12
FB11D2527KE12G	B11 25W 2700K AMBER E12	3.0	25	250	>80	2700K	Amber	3.8	1.4	E12
FB11D2530EE12C	B11 25W 3000K CLEAR E12	3.0	25	250	>80	3000K	Clear	3.8	1.4	E12
FB11D2540EE12C	B11 25W 4000K CLEAR E12	3.0	25	250	>80	4000K	Clear	3.8	1.4	E12
FB11D2550EE12C	B11 25W 5000K CLEAR E12	3.0	25	250	>80	5000K	Clear	3.8	1.4	E12
FB11D2550EE12W	B11 25W 5000K FROSTED E12	3.0	25	250	>80	5000K	Frosted	3.8	1.4	E12
<b>25 Watt Replacements • Dimmable • E26 Base • 15,000 Hour</b>										
FB11D2522KC	B11 25W 2200K CLEAR	3.0	25	225	>80	2200K	Clear	3.5	1.4	E26
FB11D2522KW	B11 25W 2200K FROSTED	3.0	25	225	>80	2200K	Frosted	3.5	1.4	E26
FB11D2527EC	B11 25W 2700K CLEAR	3.0	25	250	>80	2700K	Clear	3.5	1.4	E26
FB11D2527EW	B11 25W 2700K FROSTED	3.0	25	250	>80	2700K	Frosted	3.5	1.4	E26
FB11D2550EC	B11 25W 5000K CLEAR	3.0	25	250	>80	5000K	Clear	3.5	1.4	E26
FB11D2550EW	B11 25W 5000K FROSTED	3.0	25	250	>80	5000K	Frosted	3.5	1.4	E26
<b>40 Watt Replacements • Dimmable • E12 Base • 15,000 Hour</b>										
FB11D4022KE12C	B11 40W 2200K CLEAR E12	4.0	40	300	>80	2200K	Clear	3.8	1.4	E12
FB11D4022KE12G	B11 40W 2200K AMBER E12	4.0	40	300	>80	2200K	Amber	3.8	1.4	E12
FB11D4022KE12W	B11 40W 2200K FROSTED E12	4.0	40	300	>80	2200K	Frosted	3.8	1.4	E12
FB11D4027EE12C	B11 40W 2700K CLEAR E12	4.0	40	300	>80	2700K	Clear	3.8	1.4	E12
FB11D4027EE12W	B11 40W 2700K FROSTED E12	4.0	40	300	>80	2700K	Frosted	3.8	1.4	E12
FB11D4027EE12CB	B11 40W 2700K CLEAR E12	4.0	40	300	>80	2700K	Clear	3.8	1.4	E12
FB11D4030EE12C	B11 40W 3000K CLEAR E12	4.0	40	300	>80	3000K	Clear	3.8	1.4	E12
FB11D4040EE12C	B11 40W 4000K CLEAR E12	4.0	40	300	>80	4000K	Clear	3.8	1.4	E12
FB11D4050EE12C	B11 40W 5000K CLEAR E12	4.0	40	300	>80	5000K	Clear	3.8	1.4	E12
FB11D4050EE12W	B11 40W 5000K FROSTED E12	4.0	40	300	>80	5000K	Frosted	3.8	1.4	E12



# LED Classic Decorative Filament Lamps

## Specifications

ITEM #	DESCRIPTION	LED WATTS	INCAND. WATTS	LUMENS	CRI	COLOR TEMP	GLASS TYPE	MOL (inches)	DIA (inches)	BASE
<b>B11 Lamps (continued)</b>										
<b>40 Watt Replacements • Dimmable • E26 Base • 15,000 Hour</b>										
FB11D4022KC	B11 40W 2200K CLEAR	4.0	40	295	>80	2200K	Clear	3.5	1.4	E26
FB11D4022KW	B11 40W 2200K FROSTED	4.0	40	295	>80	2200K	Frosted	3.5	1.4	E26
FB11D4027EC	B11 40W 2700K CLEAR	4.0	40	300	>80	2700K	Clear	3.5	1.4	E26
FB11D4027EW	B11 40W 2700K FROSTED	4.0	40	300	>80	2700K	Frosted	3.5	1.4	E26
FB11D4050EC	B11 40W 5000K CLEAR	4.0	40	300	>80	5000K	Clear	3.5	1.4	E26
FB11D4050EW	B11 40W 5000K FROSTED	4.0	40	300	>80	5000K	Frosted	3.5	1.4	E26
<b>60 Watt Replacements • Dimmable • E12 Base • 15,000 Hour</b>										
FB11D6022EE12CS	B11 60W 2200K CLEAR E12	5.0	60	500	>80	2200K	Clear	4.1	1.4	E12
FB11D6027EE12CS	B11 60W 2700K CLEAR E12	5.5	60	500	>80	2700K	Clear	4.1	1.4	E12
FB11D6027EE12W	B11 60W 2700K FROST E12	5.0	60	500	>80	2700K	Frosted	4.1	1.4	E12
FB11D6030EE12CS	B11 60W 3000K CLEAR E12	5.0	60	500	>80	3000K	Clear	4.1	1.4	E12
FB11D6040EE12CS	B11 60W 4000K CLEAR E12	5.0	60	500	>80	4000K	Clear	4.1	1.4	E12
FB11D6050EE12CS	B11 60W 5000K CLEAR E12	5.0	60	500	>80	5000K	Clear	4.1	1.4	E12
FB11D6050EE12W	B11 60W 5000K FROST E12	5.0	60	500	>80	5000K	Frosted	4.1	1.4	E12
<b>60 Watt Replacements • Dimmable • E26 Base • 15,000 Hour</b>										
FB11D6022KC	B11 60W 2200K CLEAR	5.0	60	475	>80	2200K	Clear	3.8	1.4	E26
FB11D6022KW	B11 60W 2200K FROSTED	5.0	60	475	>80	2200K	Frosted	3.8	1.4	E26
FB11D6027EC	B11 60W 2700K CLEAR	5.0	60	500	>80	2700K	Clear	3.8	1.4	E26
FB11D6027EW	B11 60W 2700K FROSTED	5.0	60	500	>80	2700K	Frosted	3.8	1.4	E26
FB11D6050EC	B11 60W 5000K CLEAR	5.0	60	500	>80	5000K	Clear	3.8	1.4	E26
FB11D6050EW	B11 60W 5000K FROSTED	5.0	60	500	>80	5000K	Frosted	3.8	1.4	E26
<b>F11 Lamps</b>										
<b>25 Watt Replacements • Dimmable • E12 Base • 15,000 Hour</b>										
FF11D2522KE12C	F11 25W 2200K CLEAR E12	3.0	25	225	>80	2200K	Clear	3.8	1.4	E12
FF11D2522KE12W	F11 25W 2200K FROSTED E12	3.0	25	225	>80	2200K	Frosted	3.8	1.4	E12
FF11D2527EE12C	F11 25W 2700K CLEAR E12	3.0	25	220	>80	2700K	Clear	3.8	1.4	E12
FF11D2527EE12W	F11 25W 2700K FROSTED E12	3.0	25	250	>80	2700K	Frosted	3.8	1.4	E12
FF11D2530EE12C	F11 25W 3000K CLEAR E12	3.0	25	250	>80	3000K	Clear	3.8	1.4	E12
FF11D2540EE12C	F11 25W 4000K CLEAR E12	3.0	25	250	>80	4000K	Clear	3.8	1.4	E12
FF11D2550EE12C	F11 25W 5000K CLEAR E12	3.0	25	250	>80	5000K	Clear	3.8	1.4	E12
FF11D2550EE12W	F11 25W 5000K FROSTED E12	3.0	25	250	>80	5000K	Frosted	3.8	1.4	E12
<b>25 Watt Replacements • Dimmable • E26 Base • 15,000 Hour</b>										
FF11D2522KC	F11 25W 2200K CLEAR	3.0	25	225	>80	2200K	Clear	3.6	1.4	E26
FF11D2522KW	F11 25W 2200K FROSTED	3.0	25	225	>80	2200K	Frosted	3.6	1.4	E26
FF11D2527EC	F11 25W 2700K CLEAR	3.0	25	250	>80	2700K	Clear	3.6	1.4	E26
FF11D2527EW	F11 25W 2700K FROSTED	3.0	25	250	>80	2700K	Frosted	3.6	1.4	E26
FF11D2550EC	F11 25W 5000K CLEAR	3.0	25	250	>80	5000K	Clear	3.6	1.4	E26
FF11D2550EW	F11 25W 5000K FROSTED	3.0	25	250	>80	5000K	Frosted	3.6	1.4	E26



\*Based on 12 hours use per day

## Specifications

ITEM #	DESCRIPTION	LED WATTS	INCAND. WATTS	LUMENS	CRI	COLOR TEMP	GLASS TYPE	MOL (inches)	DIA (inches)	BASE
<b>F11 Lamps (continued)</b>										
<b>40 Watt Replacements • Dimmable • E12 Base • 15,000 Hour</b>										
FF11D4022KE12C	F11 40W 2200K CLEAR E12	4.0	40	300	>80	2200K	Clear	4.3	1.4	E12
FF11D4027EE12C	F11 40W 2700K CLEAR E12	4.0	40	300	>80	2700K	Clear	4.3	1.4	E12
FF11D4027EE12W	F11 40W 2700K FROSTED E12	4.0	40	300	>80	2700K	Frosted	4.3	1.4	E12
FF11D4030EE12C	F11 40W 3000K CLEAR E12	4.0	40	300	>80	3000K	Clear	4.3	1.4	E12
FF11D4040EE12C	F11 40W 4000K CLEAR E12	4.0	40	300	>80	4000K	Clear	4.3	1.4	E12
FF11D4050EE12C	F11 40W 5000K CLEAR E12	4.0	40	300	>80	5000K	Clear	4.3	1.4	E12
FF11D4050EE12W	F11 40W 5000K FROSTED E12	4.0	40	300	>80	5000K	Frosted	4.3	1.4	E12
<b>40 Watt Replacements • Dimmable • E26 Base • 15,000 Hour</b>										
FF11D4027EC	F11 40W 2700K CLEAR	4.0	40	300	>80	2700K	Clear	3.9	1.4	E26
FF11D4027EW	F11 40W 2700K FROSTED	4.0	40	300	>80	2700K	Frosted	3.9	1.4	E26
FF11D4050EC	F11 40W 5000K CLEAR	4.0	40	300	>80	5000K	Clear	3.9	1.4	E26
FF11D4050EW	F11 40W 5000K FROSTED	4.0	40	300	>80	5000K	Frosted	3.9	1.4	E26
<b>60 Watt Replacements • Dimmable • E12 Base • 15,000 Hour</b>										
FF11D6027EE12C	F11 60W 2700K CLEAR E12	5.0	60	500	>80	2700K	Clear	4.3	1.4	E12
FF11D6027EE12W	F11 60W 2700K FROST E12	5.0	60	500	>80	2700K	Frosted	4.3	1.4	E12
FF11D6030EE12C	F11 60W 3000K CLEAR E12	5.0	60	500	>80	3000K	Clear	4.3	1.4	E12
FF11D6050EE12C	F11 60W 5000K CLEAR E12	5.0	60	500	>80	5000K	Clear	4.3	1.4	E12
<b>60 Watt Replacements • Dimmable • E26 Base • 15,000 Hour</b>										
FF11D6022KC	F11 60W 2200K CLEAR	5.0	60	475	>80	2200K	Clear	4.1	1.4	E26
FF11D6022KW	F11 60W 2200K FROSTED	5.0	60	475	>80	2200K	Frosted	4.1	1.4	E26
FF11D6027EC	F11 60W 2700K CLEAR	5.0	60	500	>80	2700K	Clear	4.1	1.4	E26
FF11D6027EW	F11 60W 2700K FROSTED	5.0	60	500	>80	2700K	Frosted	4.1	1.4	E26
FF11D6050EC	F11 60W 5000K CLEAR	5.0	60	500	>80	5000K	Clear	4.1	1.4	E26
FF11D6050EW	F11 60W 5000K FROSTED	5.0	60	500	>80	5000K	Frosted	4.1	1.4	E26

# TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 30 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit [tcp.com](http://tcp.com)

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516