



# Pro Line Family of Filament Lamps

## Product Specifications



For an affordable LED upgrade, switch to TCP's Pro Line LED Filament Lamps. See how you can maximize savings and minimize maintenance costs with Pro Line LED Filament Lamps.

### Reasons to choose the Pro Line LED Filament Lamps from TCP

- Long life: 15,000 hours minimizes replacement and maintenance costs
- Inexpensive alternative for cost-sensitive projects
- ANSI Construction Compliant to fit most general applications
- Dimmable
- UL approved for damp location means lamps can be used outdoors when protected from the elements

### Ideal Applications

- Commercial
- Industrial
- Retail
- Residential

### Specifications

Input Line Voltage .....	120 VAC	CRI .....	80
Input Line Frequency .....	50/60HZ	Base .....	E26, E12
Lamp Life (Rated) .....	15,000 hours	Warranty .....	3 Years
Dimmable .....	Yes		



## Specifications



**A19 40W**  
E26 Base



**A19 60W**  
E26 Base



**A19 75W**  
E26 Base



**A19 100W**  
E26 Base



**B10**  
E26 Base



**B10**  
E12 Base

Item #	Item Description	Color Temp	Watts	Incan Watts	CRI	LPW	Lumens
<b>A19 • Dimmable • 15,000 Hours • E26 Base</b>							
FPA19D40E26CL27K	Pro Line Filament 40w A19 27K CLR	2700K	4.5	40	80	100	450
FPA19D40E26CL30K	Pro Line Filament 40w A19 30K CLR	3000K	4.5	40	80	100	450
FPA19D40E26CL41K	Pro Line Filament 40w A19 41K CLR	4100K	4.5	40	80	100	450
FPA19D40E26CL50K	Pro Line Filament 40w A19 50K CLR	5000K	4.5	40	80	100	450
FPA19D60E26CL27K	Pro Line Filament 60w A19 27K CLR	2700K	7	60	80	114.2	800
FPA19D60E26CL30K	Pro Line Filament 60w A19 30K CLR	3000K	7	60	80	114.2	800
FPA19D60E26CL41K	Pro Line Filament 60w A19 41K CLR	4100K	7	60	80	114.2	800
FPA19D60E26CL50K	Pro Line Filament 60w A19 50K CLR	5000K	7	60	80	114.2	800
FPA19D75E26CL27K	Pro Line Filament 75w A19 27K CLR	2700K	10.5	75	80	104.7	1100
FPA19D75E26CL30K	Pro Line Filament 75w A19 30K CLR	3000K	10.5	75	80	104.7	1100
FPA19D75E26CL41K	Pro Line Filament 75w A19 41K CLR	4100K	10.5	75	80	104.7	1100
FPA19D75E26CL50K	Pro Line Filament 75w A19 50K CLR	5000K	10.5	75	80	104.7	1100
FPA19D100E26CL27K	Pro Line Filament 100w A19 27K CLR	2700K	14.5	100	80	110.3	1600
FPA19D100E26CL30K	Pro Line Filament 100w A19 30K CLR	3000K	14.5	100	80	110.3	1600
FPA19D100E26CL41K	Pro Line Filament 100w A19 41K CLR	4100K	14.5	100	80	110.3	1600
FPA19D100E26CL50K	Pro Line Filament 100w A19 50K CLR	5000K	14.5	100	80	110.3	1600
<b>B10 • Dimmable • 15,000 Hours • E26 Base</b>							
FPB10D60E26C27K12	Pro Line Filament B10 E26 27K 12PK	2700K	4	60	80	125	500
FPB10D60E26C30K12	Pro Line Filament B10 E26 30K 12PK	3000K	4	60	80	125	500
FPB10D60E26C41K12	Pro Line Filament B10 E26 41K 12PK	4100K	4	60	80	125	500
FPB10D60E26C50K12	Pro Line Filament B10 E26 50K 12PK	5000K	4	60	80	125	500
<b>B10 • Dimmable • 15,000 Hours • E12 Base</b>							
FPB10D60E12C27K12	Pro Line Filament B10 E12 27K 12PK	2700K	4	60	80	125	500
FPB10D60E12C30K12	Pro Line Filament B10 E12 30K 12PK	3000K	4	60	80	125	500
FPB10D60E12C41K12	Pro Line Filament B10 E12 41K 12PK	4100K	4	60	80	125	500
FPB10D60E12C50K12	Pro Line Filament B10 E12 50K 12PK	5000K	4	60	80	125	500



# Pro Line LED Filament Lamps



Item #	Item Description	Color Temp	Watts	Incan Watts	CRI	LPW	Lumens
<b>G16.5 • Dimmable • 15,000 Hours • E26 Base</b>							
FPG16D40E26C27K	Pro Line Filament G16.5 40W SW DM E26	2700K	4.5	40	80	77.8	350
FPG16D40E26C30K	Pro Line Filament G16.5 40W WW DM E26	3000K	4.5	40	80	77.8	350
FPG16D40E26C41K	Pro Line Filament G16.5 40W CW DM E26	4100K	4.5	40	80	77.8	350
FPG16D40E26C50K	Pro Line Filament G16.5 40W DL DM E26	5000K	4.5	40	80	77.8	350
<b>G16.5 • Dimmable • 15,000 Hours • E12 Base</b>							
FPG16D40E12C27K	Pro Line Filament G16.5 40W SW DM E12	2700K	4.5	40	80	77.8	350
FPG16D40E12C30K	Pro Line Filament G16.5 40W WW DM E12	3000K	4.5	40	80	77.8	350
FPG16D40E12C41K	Pro Line Filament G16.5 40W CW DM E12	4100K	4.5	40	80	77.8	350
FPG16D40E12C50K	Pro Line Filament G16.5 40W DL DM E12	5000K	4.5	40	80	77.8	350
<b>G25 • Dimmable • 15,000 Hours • E26 Base</b>							
FPG25D40E26C27K	Pro Line Filament G25 40W SW DM	2700K	6	40	80	75.0	350
FPG25D40E26C30K	Pro Line Filament G25 40W WW DM	3000K	6	40	80	75.0	350
FPG25D40E26C41K	Pro Line Filament G25 40W CW DM	4100K	6	40	80	75.0	350
FPG25D40E26C50K	Pro Line Filament G25 40W DL DM	5000K	6	40	80	75.0	350
<b>G40 • Dimmable • 15,000 Hours • E26 Base</b>							
FPG40D40E26C27K	Pro Line Filament G40 40W SW DM	2700K	6	40	80	75.0	450
FPG40D40E26C30K	Pro Line Filament G40 40W WW DM	3000K	6	40	80	75.0	450
FPG40D40E26C41K	Pro Line Filament G40 40W CW DM	4100K	6	40	80	75.0	450
FPG40D40E26C50K	Pro Line Filament G40 40W DL DM	5000K	6	40	80	75.0	450
<b>ST19 • Dimmable • 15,000 Hours • E26 Base</b>							
FPST19D40E26C27K	Pro Line Filament ST19 40W SW	2700K	5	40	80	90	450
FPST19D40E26C30K	Pro Line Filament ST19 40W WW	3000K	5	40	80	90	450
FPST19D40E26C41K	Pro Line Filament ST19 40W CW	4100K	5	40	80	90	450
FPST19D40E26C50K	Pro Line Filament ST19 40W DL	5000K	5	40	80	90	450

SUGGESTED DIMMER COMPATIBILITY	
MANUFACTURER	MODEL NUMBER
Leviton	R50+PLO6-10M
	R61-06674-POI
Lutron	CTCL-153PDH-WH
	TGCL-153PH-WH
	DWWCL-153PH-WH

Note: E26 compatible dimmer



# TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 30 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit [tcp.com](http://tcp.com)

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516