



# The Good Life LED Filament Lamps

## Product Specifications



TCP Good Life Filament Lamps provide a superior warm dimming experience when compared to other dimmable LED lamps. As the lamps dim, the color temperature transitions from a soft white light color to a warm amber glow, mimicking the dimming effect of incandescent and halogen bulbs. TCP Good Life Filament Lamps can dramatically influence the atmosphere of any environment by delivering an effortless color temperature transition while maintaining their efficiency.

## Reasons to choose The Good Life LED Filament Lamps by TCP

- Lamps come in a variety of shapes, wattages, and in two different light spectrums: 2700K to 1800K and 3200K to 1800K
- Unique filament LED configuration provides a uniform color output
- Uses up to 85% less energy than halogen and incandescent lamps
- 15,000 hour rated life
- UL approved for damp locations when protected from elements
- Smooth, uniform dimming 100-5%
- All-glass construction

## Ideal Applications


- Table lamps
- Floor lamps
- Sconces
- Ceiling fixtures
- Chandeliers
- Outdoor fixtures
- General lighting
- Decorative

## Specifications

Voltage ..... 120VAC  
 Input Line Frequency ..... 50/60HZ  
 Lamp Life (Rated)..... 15,000 hours  
 Minimum Starting Temp ..... -20°C  
 Maximum Operating Temp ..... 40°C

CRI ..... ≥ 80  
 Beam Angle ..... Omnidirectional and 110°  
 Base ..... E12, E26  
 Warranty ..... 3 Years  
 Suitable for use in totally enclosed fixtures

## Specifications



### 27K-18K Color Temperature

#### A15 Lamps – Dimmable • 15,000 Hours

FA15D25GL27	FIL A15 25W DIM GL27	A15	3.5	25	300	27K - 18K	>80	FROSTED	3.4	1.9	E26
-------------	----------------------	-----	-----	----	-----	-----------	-----	---------	-----	-----	-----

#### A19 Lamps – Dimmable • 15,000 Hours

FA19D60GL27	FIL A19 60W DIM GL27	A19	8	60	800	27K - 18K	>80	FROSTED	4.3	2.4	E26
-------------	----------------------	-----	---	----	-----	-----------	-----	---------	-----	-----	-----

#### R20 Lamps – Dimmable • 15,000 Hours

FR20D50GL27	FIL R20 50W DIM GL27	R20	5	50	450	27K - 18K	>80	FROSTED	3.5	2.5	E26
-------------	----------------------	-----	---	----	-----	-----------	-----	---------	-----	-----	-----

#### BR30 Lamps – Dimmable • 15,000 Hours

FBR30D65GL27	FIL BR30 65W DIM GL27	BR30	8	65	650	27K - 18K	>80	FROSTED	4.6	3.75	E26
--------------	-----------------------	------	---	----	-----	-----------	-----	---------	-----	------	-----

#### Deco Lamps – Dimmable • 15,000 Hours

FB11D60FRGL27	FIL B11 60W DIM FR GL27	B11	5	60	500	27K - 18K	>80	FROSTED	3.9	1.4	E12
---------------	-------------------------	-----	---	----	-----	-----------	-----	---------	-----	-----	-----

FB11D40FRGL27	FIL B11 40W DIM FR GL27	B11	4	40	250	27K - 18K	>80	FROSTED	3.9	1.4	E12
---------------	-------------------------	-----	---	----	-----	-----------	-----	---------	-----	-----	-----


#### G25 Lamps – Dimmable • 15,000 Hours

FG25D60GL27	FIL G25 40W DIM GL27	G25	5	40	500	27K - 18K	>80	FROSTED	4.7	3.2	E26
-------------	----------------------	-----	---	----	-----	-----------	-----	---------	-----	-----	-----

FG25D25GL27	FIL G25 25W DIM GL27	G25	3	25	250	27K - 18K	>80	FROSTED	4.7	3.2	E26
-------------	----------------------	-----	---	----	-----	-----------	-----	---------	-----	-----	-----

#### ST19 Lamps – Dimmable • 15,000 Hours

FST19D60GL27	FIL ST19 60W DIM GL27	ST19	8	60	500	27K - 18K	>80	FROSTED	5.5	2.5	E26
--------------	-----------------------	------	---	----	-----	-----------	-----	---------	-----	-----	-----



## 32K-18K Color Temperature

### A19 Lamps – Dimmable • 15,000 Hours

FA19D60GL1	FIL A19 60W DIM GL	A19	8	60	800	32K - 18K	>80	FROSTED	4.3	2.4	E26
------------	--------------------	-----	---	----	-----	-----------	-----	---------	-----	-----	-----

### BR30 Lamps – Dimmable • 15,000 Hours

FBR30D65GL1	FIL BR30 65W DIM GL	BR30	8	65	650	32K - 18K	>80	FROSTED	4.6	3.75	E26
-------------	---------------------	------	---	----	-----	-----------	-----	---------	-----	------	-----

### Deco Lamps – Dimmable • 15,000 Hours

FB11D60FRGL1	FIL B11 60W DIM FR GL	B11	5	60	500	32K - 18K	>80	FROSTED	3.9	1.4	E12
--------------	-----------------------	-----	---	----	-----	-----------	-----	---------	-----	-----	-----

FF11D60FRGL1	FIL F11 60W DIM FR GL	F11	5	60	500	32K - 18K	>80	FROSTED	3.9	1.4	E12
--------------	-----------------------	-----	---	----	-----	-----------	-----	---------	-----	-----	-----

### G25 Lamps – Dimmable • 15,000 Hours

FG25D60GL1	FIL G25 40W DIM GL	G25	5	40	500	32K - 18K	>80	FROSTED	4.7	3.2	E26
------------	--------------------	-----	---	----	-----	-----------	-----	---------	-----	-----	-----

### G40 Lamps – Dimmable • 15,000 Hours

FG40D60GL1	FIL G40 60W DIM GL	G40	8	60	800	32K - 18K	>80	FROSTED	7.0	4.9	E26
------------	--------------------	-----	---	----	-----	-----------	-----	---------	-----	-----	-----

### ST19 Lamps – Dimmable • 15,000 Hours

FST19D60GL1	FIL ST19 60W DIM GL	ST19	8	60	500	32K - 18K	>80	FROSTED	5.5	2.5	E26
-------------	---------------------	------	---	----	-----	-----------	-----	---------	-----	-----	-----

### Suggested Dimmer Capacity

Manufacturer	Model Number
Leviton	R50HPLO6-10M
Leviton	R61-06674-POI
Lutron	CTCL-153PDH-WH
Lutron	TGCL-153PH-WH
Lutron	DWWCL-153PH-WH

# TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 30 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit [tcp.com](http://tcp.com)

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516