



LED High Lumen PAR38 Lamps

Product Specifications



TCP's LED High Lumen PAR38 lamps combine traditional beauty with top-notch technology for wherever bright light is needed.

Reasons to choose the LED High Lumen PAR Lamps from TCP

- Up to 85% more efficient than halogen
- Provides instant energy savings
- Long 25,000 hour rated life minimizes replacement and maintenance costs
- Wet location rated for outdoor use
- Available in flood and narrow flood beam angles for every application
- 95 CRI rating and high R9 value enhance surrounding colors
- Works on 120 - 277V
- Smooth heat sink construction seamlessly blends into lighting applications

Ideal Applications

- Large Outdoor Spaces
- Security
- Barns
- Garages
- Parking Structures
- Large Indoor Spaces

Specifications

Color Temperatures 2700K, 3000K, 3500K,
4100K, 5000K
Input Line Voltage 120-277V
Input Line Frequency 50/60Hz
Lamp Life (Rated) 25,000 hours

Beam Angle 25° Narrow Flood, 40° Flood
CRI 95

Wet location rated for outdoor use.
Not recommended for use in enclosed fixtures.





LED High Lumen PAR38 Lamps

Specifications



ITEM #	DESCRIPTION	LED WATTS	WATTAGE EQUIVALENT	LUMENS	LPW	CRI	R9	COLOR TEMP	BULB COLOR	BEAM ANGLE	BASE	CASE QTY
P38 28W 40° Flood • Non Dimmable • 25,000 hours												
L28P38N25UNV27KFL	LED 28W P38 ND UNV 27K FL	28	250	3000	107.14	95	60	2700K	SOFT WHITE	40°	E26	12
L28P38N25UNV30KFL	LED 28W P38 ND UNV 30K FL	28	250	3100	110.71	95	60	3000K	WARM WHITE	40°	E26	12
L28P38N25UNV35KFL	LED 28W P38 ND UNV 35K FL	28	250	3100	110.71	95	60	3500K	BRIGHT WHITE	40°	E26	12
L28P38N25UNV41KFL	LED 28W P38 ND UNV 41K FL	28	250	3100	110.71	95	60	4100K	COOL WHITE	40°	E26	12
L28P38N25UNV50KFL	LED 28W P38 ND UNV 50K FL	28	250	3100	110.71	95	60	5000K	DAYLIGHT	40°	E26	12
P38 28W 25° Narrow Flood • Non Dimmable • 25,000 hours												
L28P38N25UNV27KNFL	LED 28W P38 ND UNV 27K NFL	28	250	3000	107.14	95	60	2700K	SOFT WHITE	25°	E26	12
L28P38N25UNV30KNFL	LED 28W P38 ND UNV 30K NFL	28	250	3100	110.71	95	60	3000K	WARM WHITE	25°	E26	12
L28P38N25UNV35KNFL	LED 28W P38 ND UNV 35K NFL	28	250	3100	110.71	95	60	3500K	BRIGHT WHITE	25°	E26	12
L28P38N25UNV41KNFL	LED 28W P38 ND UNV 41K NFL	28	250	3100	110.71	95	60	4100K	COOL WHITE	25°	E26	12
L28P38N25UNV50KNFL	LED 28W P38 ND UNV 50K NFL	28	250	3100	110.71	95	60	5000K	DAYLIGHT	25°	E26	12

TCP®

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | tcp.com

©TCP MAY 2025/WF325154



RoHS
COMPLIANT

5 YEAR
WARRANTY
*Based on 12 hours
use per day

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 20 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcpi.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516