



# Select Series LED Wrap Light

## Product Specifications



The TCP Select Series LED Wrap Light offers superior light output in a maintenance-free fixture. With a durable metal frame, and a glare free, impact resistant frosted lens, you can install these fixtures and relax. Built to industry standard measurements, installation is quick and easy, and provides for easy upgrading.

### Reasons to choose the LED Select Series LED Wrap Light from TCP

- Energy efficient LED luminaire
- Smooth, uniform dimming (0-10V)
- Instant on, no warm up time for full light
- Long-life: 50,000 hours
- Replaces traditional linear fluorescent systems
- Heavy-duty steel housing

### Ideal Applications

- Warehouses & Distribution Centers
- Commercial Facilities
- Aisles (Open & Stock)
- Restrooms
- Corridors
- Stairwells
- Hallways



# Select Series LED Wrap Light

## Applications

TCP's Select Series LED Wrap Light offers a versatile solution for both new construction and replacing old linear fluorescent systems. With its durable construction, superior lighting output, and long lifespan, it is perfect for a wide variety of commercial applications. These fixtures come standard with an easy-access wiring compartment that allows for efficient installation.

## Construction

- Housing: durable steel construction
- Finish: powder coated, post-painted white
- Large wiring compartment and knock-outs to accommodate lighting controls
- Easy surface mount, suspended or pendant installation

## Electrical

- Universal 120-277V
- cULus damp location rated
- 0-10V dimming driver (standard)
- 130 lumens per watt
- Easy-to-access wiring compartment
- System rated for long 50,000 hour life

## Optics

- High impact, acrylic lens comes standard to protect the LEDs and minimize glare
- Delivers bright, white light and excellent uniformity



## Catalog Ordering Matrix

Example: WR4UZDSW3CCT

FAMILY	SIZE	VOLTAGE	CONTROLS/ DIMMING	LUMEN PACKAGE (POWER) <sup>1,2</sup>	COLOR TEMPERATURE	FACTORY INSTALLED OPTIONS
WR - Wrap Light	4 - 4 Foot	U - 120V-277V	ZD - 0-10V Dimming	SW3 - 5200/4550/3900L (40/35/30W)	CCT - 35K/40K/50K Color Selectable	Blank - None

<sup>1</sup> Approximate lumen output. Actual performance may vary based on CCT, options selected and end user application.

<sup>2</sup> Actual wattage may differ by +/- 10%.

For the most up-to-date specs and warranty information, please visit [www.tcpi.com](http://www.tcpi.com)

**TCP®**

325 Campus Dr. | Aurora, Ohio 44202 | P: 800-324-1496 | [tcpi.com](http://tcpi.com)

©TCP JAN 2026/WF538352



# TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 30 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:	Catalog Number:
Date:	Type:
Model:	Notes:
Project:	
Rep:	



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit [tcp.com](http://tcp.com)

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516