



High Lumen Filament Fixture

Product Specifications



TCP's High Lumen Filament Fixture allows the customer to customize the product to best suit their needs. Mix and match from the compatible accessories to effortlessly illuminate any space that traditionally uses a high bay or low bay fixture.

Reasons to choose the High Lumen Filament Fixture from TCP

- Universal burn position
- Ballast bypass 120-277V
- Versatile – can be used with or without a reflector/refractor
- 360° beam angle
- Lightweight
- Easy installation – screw it into the existing socket
- Energy savings of more than 75% over traditional HID metal halide lamps
- 2200K available – perfect for HPS replacements
- Instant start

Ideal Applications

- Warehouses
- Parking Structures
- Industrial Lighting
- Large Retail Facilities
- Gymnasiums
- Large Public Areas
- Movie Theatres
- Large Outdoor Areas
- Pathways

Specifications

Recommended Shapes..... ED17, ED23, ED28, ED37
 Color Temperatures 2200K, 2950K, 3500K,
 4000K, 5000K
 Voltage 120-277V
 Enclosed Fixture Yes

Rated Life 50,000 Hours
 Minimum Starting Temp -30°C/-22°F
 Maximum Operating Temp 65°C/149°F
 CRI ≥80

Catalog Ordering Matrix

Example: HLFE39U

FAMILY	BASE	VOLTAGE	COLOR
HLF = High Lumen Filament Fixture	E39 = E39 E26 = E26	U = 120V-277V	Blank - White ¹

HLFE39U



¹ Special colors available upon request. Longer lead times may apply.

Optional Add-ons

ITEM NUMBER	DESCRIPTION
FED17N05024E26CL	ED17 50W 24K E26 CLEAR
FED17N05027E26CL	ED17 50W 27K E26 CLEAR
FED17N05029E26CL	ED17 50W 29K E26 CLEAR
FED17N05022E26FR	ED17 50W 22K E26 FROST
FED17N05024E26FR	ED17 50W 24K E26 FROST
FED17N05027E26FR	ED17 50W 27K E26 FROST
FED17N05029E26FR	ED17 50W 29K E26 FROST
FED23N15040E39CL	ED23 150W 40K E39 CLEAR
FED23N15050E39CL	ED23 150W 50K E39 CLEAR
FED28N15040E39FR	ED28 150W 40K E39 FROST
FED28N25022E39CL	ED28 250W 22K E39 CLEAR
FED28N25029E39CL	ED28 250W 29K E39 CLEAR
FED28N25035E39CL	ED28 250W 35K E39 CLEAR
FED28N25040E39CL	ED28 250W 40K E39 CLEAR
FED28N25050E39CL	ED28 250W 50K E39 CLEAR
FED28N25022E39FR	ED28 250W 22K E39 FROST
FED28N25029E39FR	ED28 250W 29K E39 FROST
FED28N25035E39FR	ED28 250W 35K E39 FROST
FED28N25040E39FR	ED28 250W 40K E39 FROST
FED28N25050E39FR	ED28 250W 50K E39 FROST
FED28N32040E39CL	ED28 320W 40K E39 CLEAR
FED28N32050E39CL	ED28 320W 50K E39 CLEAR

ITEM NUMBER	DESCRIPTION
FED37N40022E39FR	ED37 400W 22K E39 FROST
FED37N40029E39FR	ED37 400W 29K E39 FROST
FED37N40035E39FR	ED37 400W 35K E39 FROST
FED37N40040E39FR	ED37 400W 40K E39 FROST
FED37N40050E39FR	ED37 400W 50K E39 FROST
FED37N40029E39CL	ED37 400W 29K E39 CLEAR
FED37N40035E39CL	ED37 400W 35K E39 CLEAR
FED37N40040E39CL	ED37 400W 40K E39 CLEAR
FED37N40050E39CL	ED37 400W 50K E39 CLEAR
HLFLENS	ACRYLIC REFRACTOR
HLFREFACTOR	90° ALUMINUM REFLECTOR
ADAPTERE39E26	E39 lamp to E26 socket Adapter
ADAPTERE26E39	E26 lamp to E39 socket Adapter



ED17



HLFE39U



ED23

HLFLENS



ED28



HLFREFRACOR



ED37



ADAPTERE26E39



ADAPTERE39E26

TECHNOLOGY CAST IN A BEAUTIFUL LIGHT

For over 30 years, TCP has been designing, developing and delivering energy-efficient lighting into the market. Thanks to our cutting-edge technology and manufacturing expertise, we have shipped billions of high quality lighting products. With TCP, you can count on a lighting product that is designed to meet the needs of the market - that transforms your surroundings and envelopes you in warmth - lighting that generates beauty with every flip of the switch.

Sales:

Date:

Model:

Project:

Rep:

Catalog Number:

Type:

Notes:



For more information on the quality and care TCP can deliver, call us at **800.324.1496** or visit tcp.com

325 Campus Dr. | Aurora, Ohio 44202 | P: 800.324.1496 | F: 877.487.0516